

Kryptton | Absolutely Precise



KRYPTTON
Surveying Accessories



Made In India

HEAVY DUTY WOOD/FIBRE GLASS TRIPODS



Specification	K60-WD / F
Type	Wood/Fiberglass
Extended	72"(183cm)
Collapsed	42"(107cm)
Clamping	Quick
Style	Clamp
Head Style	5/8-11, Flat
Net Wt.	16lb (7.2kg)
Hardware Color	Orange / Black

- Combination of hardwood legs with fiberglass dowels provides stability and weather resistance
- Large aluminum head and leg hinges provide stable mounting base
- Double banded extension legs and large positive locking quick clamp with large quick release clamps for extra stability
- Powder coated wear-resistant metal hardware
- Aluminum shoe with hardened steel replaceable shoe points
- Includes: heavy-duty play-webbing shoulder strap for ease of carrying to the job site

HEAVY DUTY ALLFIBRE GLASS TRIPODS



Specification	K60-WDF
Type	Fiberglass
Extended	72"(183cm)
Collapsed	42"(107cm)
Clamping	Quick
Style	Wing Screw
Head Style	5/8-11, Flat
Net Wt.	16lb (7.2kg)
Hardware Color	Orange / Black

- All fiberglass legs and dowels provide stability and weather resistance
- Large aluminum head and leg hinges provide stable mounting base
- Double banded extension legs and large positive locking quick clamp with wing screw for extra stability
- Powder coated wear-resistant metal hardware
- Special engineered plastic shoe with hardened steel replaceable shoe points
- Includes: heavy-duty play-webbings sholder strap for ease of carrying to the job site

ALUMINIUM TRIPODS (Heavy Duty / Light Duty)



Specification	K60-AHW	K60-ALW
Type	Aluminum	Aluminum
Extended	65"(165cm)	65"(165cm)
Collapsed	42"(107cm)	39"(99cm)
Clamping Style	Wing Screw	Quick Clamp
Head Style	5/8-11, Flat	5/8-11, Flat
Net Wt.	13lb (5.5kg)	9lb (4.1kg)
Hardware Color	Orange / Black	Orange / Black

- Heavy gauge aluminum with added stability of wide frame extension legs
- Large aluminum head and leg hinges provide stable mounting base
- Locking wing screw clamping
- Powder coated wear-resistant metal hardware
- Aluminum shoe with hardened steel replaceable shoe points
- Includes: heavy-duty ploy-webbing shoulder strap

ELEVATOR ALUMINIUM TRIPODS



Specification	K60-ALET
Type	Aluminum
Extended	117"(296cm)
Collapsed	48"(121cm)
Clamping Style	Quick Clamp
Head Style	5/8-11, Flat
Net Wt.	16lb (7.2kg)
Hardware Color	Black

- Heavy duty, aluminum tripod with positive locking quick clamp style clamps and individually tightened hinge screws
- Adjustable center column with height adjustment range of 12" (305mm) and metal gear & rack system for smooth continuous motion.
- Special inner column provides additional 12" (31cm) height adjustment
- Aluminum shoe with hardened steel replaceable shoe points
- Powder coated castings for durability and wear-resistance
- Easy "on/off" 5/8-11 mounting head
- Includes: heavy-duty ploy-webbing shoulder strap

ALUMINUM LEVELING STAFF



Model	Length	Graduation	Section
06-804-M	4M	Metric "E"	4
06-813-C	13ft	Feet/8th	4
06-814-T	13ft	Feet/110ths	4
06-805-M	5M	Metric "E"	5
06-805-MM	5M	Metric, 1/2cm/mm	5
06-805-MC	16ft/5M	Metric, ft/8th	5
06-805-MT	16ft/5M	Metric, Ft/100th	5



06-850 Snap-on Rod Level with 30-minute vial. Fits 06- series aluminum levelling staffs

- Lightweight and durable telescoping aluminum levelling rods
- Rods have highest wall thickness aluminum to prevent denting and warping
- Easy-to-read graduations with measuring scale on the backside for direct reading at eye level

FIBERGLASS LEVELING STAFF



Model	Length	Graduation	Section
06-913C	13ft	Feet/Inches/8ths	4
06-913T	13ft	Feet/10ths/100ths	4
06-905M	5M	Metric "E"	5
06-904M	4M	Metric"E"	4
06-916C	16ft	Feet/Inches/8ths	5
06-916T	16ft	Feet/10ths/100ths	5
06-925M	7.6M	Metric "E"	6
06-925C	25ft	Feet/Inches/8ths	6
06-925	25ft	Feet/10ths/100ths	6



06-950 Snap-on Rod Level with 30-minute vial. Fits 06 - fiberglass leveling Staffs

- Non-conductive (under dry conditions) telescoping fiberglass leveling rod
- Easy-to-read graduations with a special measuring scale on the backside, permits user to read height at eye level
- All sections have common button system for easy replacement if needed
- Includes: carrying case

PRISM POLE (ALuminum) 8' 12' 15'



Model	Length	Weight	Section
67-4208-TMA	8'(2.5M)	2.1 lbs(0.95kg)	2
67-4212-TMA	12'(3.6M)	3.8 lbs(1.72kg)	3
67-4215-TMA	15'(4.6M)	3.8 lbs(1.72kg)	4



Collete Locking Mechanism



Twist Lock Mechanism with built-in bubble vial

- Adjustable tip with 5/8-11 adapter for prism mounting
- Easily visible precise level vial
- Hardened steel point and standard red and white paint
- Anodized dual-graduation marks

MEASURING WHEEL



Specification	Analogue	Digital
Units	Meter, Cm	Meter,cm / Feet,in
Counter	Single	Digital Readout
Circumference	104cm(3.4ft)	104cm(3.4ft)
Diameter	30cm(1')	30cm(1')
Handle Type	3-Section	3-Section
Collapsed	61cm(24")	67cm(26-1/2")
Extended	108cm(42-1/2")	102cm(40")
Net Wt	2.3kg(5 lbs)	1.6kg(3.5 lbs)

Digital Measuring Wheel

- Ergonomic, comfortable grip handle with digital back-lit readout display
- Measures to 1 cm and 1/100th increments
- Memory stores up to 4 values
- Stop Measuring digital button
- Lightweight, compact with spoke wheel is perfect for landscaping, general construction, road construction, and real estate appraisals
- Auto shut-off
- Aluminum 3-section telescoping handle with clamps for quick release and collapse of handle for easy storage

Analogue Measuring Wheel

- Ergonomic, comfortable grip handle
- Lightweight, compact with aluminum wheel is perfect for landscaping, general construction, road construction, and real estate appraisals
- Counter with reset switch reads up to 9,999 m
- Aluminum 3-section telescoping handle with clamps for quick release and collapse of handle for easy storage

OUR PRESENCE

REGISTERED OFFICE

Z-COUNT TECHNOLOGIES PVT. LTD.
A-227, GROUND FLOOR,
KARAMPURA, OPT.
BANK OF BARODA, NEW
DELHI-110015, INDIA

BRANCH OFFICE

Z-COUNT TECHNOLOGIES PVT. LTD.
32, KRISHNA KUNJ,
BAJRANG DWAR,
KALWAR ROAD,
JAIPUR, RAJASTHAN

WAREHOUSE & SERVICE CENTER

A-227, GROUND FLOOR,
KARAMPURA, OPT.
BANK OF BARODA, NEW
DELHI-110015, INDIA

We are present in all **major cities of India**: [Delhi](#), [Gurgaon](#), [Mumbai](#), [Hyderabad](#), [Ahmedabad](#), [Trichy](#), [Pune](#), [Chennai](#), [Ludhiana](#), [Roorkee](#), [Jaipur](#), [Indore](#), through our sales offices and channel partners.

We **export to the countries**: [Srilanka](#), [Bhutan](#), [Nepal](#), [Bangladesh](#), [Nigeria](#) to our customers and our local channel partners in these countries .



We plant more trees than we use. Associated with Green Lungs Organization.

